
**ENGINEERED
TO THE EXACT
SPECIFICATIONS
OF TOUGHNESS.**



SANTA-FE™
DEHUMIDIFIERS



ULTRA-AIRE™
BY SANTA-FE

BUILT TO HUMIDITY HUMIDITY

If there's one thing a dehumidifier must be, it's durable. Built to last, built to perform, built to protect. Santa Fe and Ultra Aire by Santa Fe do just that. And then some. Our products are guaranteed to eliminate excessive moisture efficiently and powerfully. Finally, humidity has nowhere to hide.™

LIATE

Y.™







BUILT TO LAST. BUILT TO PERFORM.



When it comes to tackling the harmful effects of excessive moisture, you should never settle for anything but a Santa Fe or Ultra Aire by Santa Fe dehumidifier. Engineered and manufactured in America, we take great pride in setting the standard in dehumidification. Not only are our dehumidifiers commercial-grade and easy to install, every free standing and ducted dehumidifier comes equipped with a MERV-13 filter for superior air filtration.



FOCUSED ON WHAT'S IMPORTANT.

A WARRANTY THAT WARRANTS DISCUSSION.

To say we stand behind our products is an understatement. While most manufacturers offer only a 1-year warranty, every Santa Fe or Ultra Aire by Santa Fe dehumidifier is backed with an industry-leading, unmatched warranty. You're not just buying a dehumidifier, you're buying peace of mind.



PROOF THAT TOUGHNESS HAS AN EFFICIENT SIDE.

Not only are all Santa Fe and Ultra Aire by Santa Fe dehumidifiers the most durable and reliable, but they're also the most efficient. Every unit meets Department of Energy standards, saving you up to \$1,766 (12,614 kWhr) over a 6-year period.

FILTER THE BAD. DELIVER THE GOOD.

Over a 6-year period, MERV-13 filters will remove 2 pounds of dust, pollen, mold spores, and bacteria from the air in your property.* In comparison, big-box units have MERV-4 or washable filters, which only remove 7 ounces of material from the air over the same period of time.

*Based on regularly changing your air filter; see instructional manual for more information.

COMMERCIAL APPLICATIONS:

SELF STORAGE • SMALL BUSINESSES • GOVERNMENT APPLICATIONS • MULTI-FAMILY



SELF-STORAGE: AIR CONDITIONING ISN'T CLIMATE CONTROL.

There's only one way to reduce your utility bills while also protecting your self-storage facilities from mildew: Control your climate and keep humidity in check. We can help. Our dehumidifiers are the most efficient on the market.



GYMS, SPAS AND FITNESS CENTERS: KEEP THEM COMING BACK.

Your customers want a comfortable, sanitary, odor-free facility. Humidity control can help your gym, spa or fitness center put its best foot forward.



GOVERNMENT: PROVEN ASSET PROTECTION.

Look to us for efficient, American-made dehumidification solutions. From military housing to office or utility protection, we offer efficient humidity control you can trust.





MULTI-FAMILY: PROTECT YOUR INVESTMENT.

Controlling humidity in multi-family housing is a challenge for most architects, engineers, property managers and owners. Our in-wall dehumidifier protects the physical investment and creates a comfortable, healthier living environment for residents.



SANTA-FE™
DEHUMIDIFIERS



FREE STANDING DEHUMIDIFIERS

	COMPACT70	ADVANCE90
		
WATER REMOVAL*	70 PINTS/DAY 8.75 GALLONS/DAY	90 PINTS/DAY 11.25 GALLONS/DAY
CURRENT DRAW	5.1 AMPS	5.7 AMPS
EFFICIENCY	5.0 PINTS/KWH	6.1 PINTS/KWH
ENERGY FACTOR	2.4 L/KWH	2.88 L/KWH
AIR FILTER	MERV 13	MERV 13
DIMENSIONS	12.00" W 12.00" H 21.00" D	14.50" W 19.40" H 26.00" D
WEIGHT	55 LBS.	80 LBS.
OPERATING TEMPERATURE	49°F - 95°F	49°F - 95°F
SIZING	UP TO 2,000 FT ²	UP TO 2,400 FT ²

*At 80°F and 60% RH






PRODUCT LINE UP

	IMPACT155	CLASSIC
		
WATER REMOVAL*	155 PINTS/DAY 19.375 GALLONS/DAY	110 PINTS/DAY 13.75 GALLONS/DAY
CURRENT DRAW	8.0 AMPS	6.4 AMPS
EFFICIENCY	7.3 PINTS/KWH	6.3 PINTS/KWH
ENERGY FACTOR	3.4 L/KWH	3.0 L/KWH
AIR FILTER	MERV 13	MERV 13
DIMENSIONS	21.25" W 21.75" H 38.00" D	20.00" W 36.00" H 17.00" D
WEIGHT	140 LBS.	110 LBS.
OPERATING TEMPERATURE	49°F - 95°F	56°F - 95°F
SIZING	UP TO 3,800 FT ²	UP TO 2,700 FT ²

Larger capacity dehumidification options are available as application requires. Please contact your sales manager for more information.



DUCTED DEHUMIDIFIERS






	70H	98H	120H
			
WATER REMOVAL*	70 PINTS/DAY 8.75 GALLONS/DAY	98 PINTS/DAY 12.25 GALLONS/DAY	121 PINTS/DAY 15.125 GALLONS/DAY
CURRENT DRAW	5.1 AMPS	5.9 AMPS	7.3 AMPS
EFFICIENCY	5.0 PINTS/KWH	6.1 PINTS/KWH	6.1 PINTS/KWH
ENERGY FACTOR	2.4 L/KWH	2.95 L/KWH	2.95 L/KWH
BLOWER	150 CFM @ 0.0" WG 140 CFM @ 0.2" WG 130 CFM @ 0.4" WG	320 CFM @ 0.0" WG 297 CFM @ 0.2" WG 215 CFM @ 0.4" WG	350 CFM @ 0.0" WG 285 CFM @ 0.2" WG 210 CFM @ 0.4" WG
AIR FILTER	MERV 13	MERV 13	MERV 13
DIMENSIONS	12.00" W 12.00" H 28.00" D	14.50" W 19.50" H 32.375" D	14.375" W 21.00" H 32.1875" D
WEIGHT	55 LBS.	81 LBS.	91 LBS.
OPERATING TEMPERATURE	49°F - 95°F	49°F - 95°F	49°F - 95°F
SIZING	UP TO 1,800 FT. ²	UP TO 2,300 FT. ²	UP TO 3,000 FT. ²

*At 80°F and 60% RH

**SD12 amps are combined total. Dimensions and weight are dehumidifier only. See spec sheet for more detailed information on outdoor condenser.



PRODUCT LINE UP

XT155H	XT205H	120V	SD12	MD33
				
155 PINTS/DAY 19.375 GALLONS/DAY	205 PINTS/DAY 25.625 GALLONS/DAY	124 PINTS/DAY 15.5 GALLONS/DAY	184 PINTS/DAY 23.0 GALLONS/DAY	33 PINTS/DAY 4.125 GALLONS/DAY
8.0 AMPS	13.2 AMPS	5.8 AMPS	11.1 AMPS**	2.8 AMPS
7.3 PINTS/KWH	5.7 PINTS/KWH	7.6 PINTS/KWH	6.6 PINTS/KWH	4.25 PINTS/KWH
3.4 L/KWH	2.7 L/KWH	3.6 L/KWH	3.1 L/KWH	2.0 L/KWH
391 CFM @ 0.0" WG 363 CFM @ 0.2" WG 337 CFM @ 0.4" WG	526 CFM @ 0.0" WG 495 CFM @ 0.2" WG 458 CFM @ 0.4" WG	445 CFM @ 0.0" WG 390 CFM @ 0.2" WG 360 CFM @ 0.4" WG	406 CFM @ 0.0" WG 374 CFM @ 0.2" WG 348 CFM @ 0.4" WG	155 CFM @ 0.0" WG
MERV 13	MERV 13	MERV 13	MERV 13	WASHABLE
20.25" W 21.75" H 41.50" D	20.25" W 21.75" H 41.50" D	26.75" W 43.50" H 18.75" D	20.25" W 21.75" H 41.50" D	14.1875" W 30.00" H 5.75" D
140 LBS.	140 LBS.	120 LBS.	110 LBS.	39 LBS.
49°F - 95°F	49°F - 95°F	49°F - 95°F	49°F - 95°F 40°F - 115°F	49°F - 95°F
UP TO 3,500 FT. ²	UP TO 5,000 FT. ²	UP TO 3,000 FT. ²	UP TO 4,000 FT. ²	UP TO 1,200 FT. ²

Larger capacity dehumidification options are available as application requires.
Please contact your sales manager for more information.



Contact us:

Santa-Fe-Products.com or 800-533-7533

©2020 Therma-Stor LLC
TS-1166 8/20 Rev B