



**BUILT TO PROTECT YOUR  
HOME, HEALTH AND COMFORT.**

**SANTA-FE-PRODUCTS.COM | 800.533.7533**



**SANTA-FE™**  
DEHUMIDIFIERS



**ULTRA-AIRE™**  
BY **SANTA-FE**





# PIONEERS OF INDOOR AIR QUALITY SOLUTIONS.

**AT SANTA FE, WE ARE FOCUSED ON THE FRONT LINE IN DEFENSE – THE BIG 3: DEHUMIDIFICATION, FILTRATION AND VENTILATION.**

## **DEHUMIDIFICATION**

When your home has too much moisture, it becomes a breeding ground for pests and a trigger for indoor pollutants such as dust, pollen, mold spores and bacteria. It can put your home's structural integrity, as well as your comfort, at risk.

Our innovative dehumidifiers properly maintain humidity levels – regardless of how hot it is outside and how much moisture is already in your home. At the same time, our superior filtration helps remove those pesky indoor pollutants.

## **VENTILATION**

Ultra Aire by Santa Fe provides the additional benefit of ventilation, because supplying fresh air and purging stale, polluted air is crucial to ensuring a safe living environment.

# IAQ + YOU




Not only can high humidity levels impact your health, they can ruin the structure of your home and property you've worked so hard for.

When you make Santa Fe and Ultra Aire by Santa Fe Dehumidifiers part of your moisture control strategy, you won't have to worry anymore.

Check out the chart to see how humidity affects your health. As the width of the bar increases, so does the likelihood of flourishing microbes and illnesses.

Chart data by the American Society of Heating, Refrigeration and Air Conditioning Engineers (ASHRAE).





### **FILTERED TO THE HIGHEST STANDARDS OF FRESH**

Fifty percent of the air in the upper levels of your home come from the basement or crawl space. Both contain high levels of moisture that cause musty odors, mold spores, mildew, bacteria and dust mites.

In addition to controlling moisture, Santa Fe and Ultra Aire by Santa Fe feature superior filtration that filters out the bad.

### **DON'T LET YOUR HEALTH FALL VICTIM TO POOR IAQ**

Common ailments related to poor air quality include allergies, headaches and asthma. These issues are directly related to the presence of mold, dust mites and organic compounds.





# DEDICATED TO INDOOR AIR QUALITY.

When you control moisture levels in your home, you help protect it from structural issues.



Dehumidification creates healthy living spaces that are inhospitable to dust mites, mold and other allergens.



When humidity levels in your home are ideal, you and your family are more comfortable.



We dilute stale indoor air with fresh, clean outdoor air - all while easing the energy demands on your air conditioner.



Equipped with the best filtration on the market, our dehumidifiers keep you free from allergens like mold and dust mites.



Our dehumidifiers are stronger and more reliable than any other product on the market.



Designed for high capacity moisture removal to take on any job and every job, we are built to humiliate humidity.



Every unit exceeds Department of Energy standards, saving you money over the life of the dehumidifier.



From product inception, our products are engineered and tested to the highest standards of quality.



Our unmatched warranty guarantees you peace of mind that your home, health and comfort are protected.

# FOCUSED ON QUALITY AND COMFORT.



ENGINEERED AND MANUFACTURED IN AMERICA, EVERY SANTA AND ULTRA AIRE BY SANTA FE DEHUMIDIFIER COMES BACKED BY A BEST-IN-CLASS WARRANTY AND SUPERIOR CUSTOMER SERVICE. AFTER ALL, WHEN YOU BUILD A QUALITY PRODUCT, YOU'RE NOT AFRAID TO STAND BEHIND IT.

UNMATCHED  
WARRANTY

## A WARRANTY THAT WARRANTS DISCUSSION.

While most manufacturers offer only a 1-year warranty, our dehumidifiers are backed by unmatched warranties. You're not just buying a dehumidifier, you're buying peace of mind.

## PROOF THAT TOUGHNESS HAS AN EFFICIENT SIDE.

Not only are all Santa Fe and Ultra Aire by Santa Fe dehumidifiers the most durable and reliable, they're also the most efficient. Our units meet or exceed Department of Energy standards, saving you up to \$1,766 (12.614 kWhr) over a six-year period.

## THE CAPACITY TO TAKE ON MORE.

Santa Fe offers a full range of high-capacity dehumidifiers. This allows you to select the right product for your project.

### We stand behind all of our products because they:

- + Are energy efficient
- + Operate at low temperatures
- + Offer superior air filtration
- + Have ducting options and auto restart
- + Are UL rated, ETL listed (highest safety standard)
- + Have optional accessories for flexible installation
- + Offer the best-in-class warranty of six years
- + Are manufactured in Madison, WI




# SELECTING THE BEST SOLUTION.



Use the chart below to help you choose which product is right for your application.

DEFENDING YOUR HOME AGAINST HUMIDITY ISN'T A GAME. BUT YOU CAN MAKE ALL THE RIGHT MOVES WITH ONE OF OUR DEHUMIDIFICATION SYSTEMS.



 **SANTA-FE**<sup>TM</sup>  
DEHUMIDIFIERS



## THE BEST DEFENSE STARTS HERE.

Home is where the heart is and unfortunately, it's often where the humidity is too. Santa Fe's line of free-standing dehumidifiers is a quick solution to protect your investment and comfort in areas such as:

- + Basements
- + Crawl spaces
- + Garages
- + Theater/Multi-Use areas
- + Workshops
- + Gun Rooms
- + Exercise rooms



## FILTER THE BAD. DELIVER THE GOOD.

Every Santa Fe dehumidifier is equipped with a MERV-13 filter. Over a 6-year period, our MERV-13 filters will remove 2 pounds of dust, pollen, mold spores, pet dander, and bacteria from the air in your home.



# DEHUMIDIFIERS:

HORIZONTAL • SMALL FOOTPRINT • COMMERCIAL-GRADE • HIGH-EFFICIENCY

Small but tough, the **Compact Series** and **Advance Series** fit into tight spaces where other dehumidifiers simply can't. Extremely powerful and efficient, they tackle excess humidity to curb harmful mold growth in the harshest of conditions.

## ▶ COMPACT 70



- + **MODEL:** 4033600
- + **OPERATING TEMPERATURE:** 49°F - 95°F
- + **ENERGY FACTOR:** 2.4 L/KWH
- + **FILTER:** MERV-13
- + **SIZING:**
  - **CRAWLSPACES:** UP TO 1,800 SQ. FT. - 2,600 SQ. FT.
  - **BASEMENTS:** UP TO 1,800 SQ. FT. - 2,200 SQ. FT.
- + **PINT CAPACITY:** 70 PINTS / 8.75 GALLONS PER DAY
- + **HVAC SYSTEM INTEGRATION:** NO
- + **VENTILATION:** NO

## ▶ ADVANCE 90



- + **MODEL:** 4034180
- + **OPERATING TEMPERATURE:** 49°F - 95°F
- + **ENERGY FACTOR:** 2.88 L/KWH
- + **FILTER:** MERV-13
- + **SIZING:**
  - **CRAWLSPACES:** UP TO 2,200 SQ. FT. - 3,000 SQ. FT.
  - **BASEMENTS:** UP TO 2,200 SQ. FT. - 2,600 SQ. FT.
- + **PINT CAPACITY:** 90 PINTS / 11.25 GALLONS PER DAY
- + **HVAC SYSTEM INTEGRATION:** NO
- + **VENTILATION:** NO



## DEHUMIDIFIERS:

VERTICAL • COMMERCIAL-GRADE • FINISHED BASEMENTS • HIGH-EFFICIENCY

Powerful, efficient and boasting a streamlined look, our **Classic Series** is essential for any basement or finished space. Popular and proven, it receives some of our highest customer ratings.

### ▶ CLASSIC



- + **MODEL:** 4029700
- + **OPERATING TEMPERATURE:** 56°F - 95°F
- + **ENERGY FACTOR:** 3.0 L/KWH
- + **FILTER:** MERV-13
- + **SIZING:**
  - **BASEMENTS:** UP TO 2,500 SQ. FT. - 2,900 SQ. FT.
- + **PINT CAPACITY:** 110 PINTS / 13.75 GALLONS PER DAY
- + **HVAC SYSTEM INTEGRATION:** NO
- + **VENTILATION:** NO



## DEHUMIDIFIERS:

HORIZONTAL • LARGE CAPACITY • COMMERCIAL-GRADE • HIGH-EFFICIENCY

Needless to say, our **Impact Series** makes quite an impact when it comes to keeping your home comfortable. These large-capacity dehumidifiers are tough, powerful and built to take on any job in any application.

### ▶ IMPACT 155



- + **MODEL:** 4031470
- + **OPERATING TEMPERATURE:** 49°F - 95°F
- + **ENERGY FACTOR:** 3.4 L/KWH
- + **FILTER:** MERV-13
- + **SIZING:**
  - **CRAWLSPACES:** UP TO 3,600 SQ. FT. - 4,400 SQ. FT.
  - **BASEMENTS:** UP TO 3,800 SQ. FT. - 4,000 SQ. FT.
- + **PINT CAPACITY:** 155 PINTS / 19.3 GALLONS PER DAY
- + **HVAC SYSTEM INTEGRATION:** NO
- + **VENTILATION:** NO



## WHOLE HOME

By working side-by-side with your current HVAC system, our Ultra Aire by Santa Fe whole home dehumidification systems will improve the moisture levels throughout your entire home. You'll feel better, and your home will smell better, too.

## VENTILATION

Supplying fresh air and removing stale, polluted air is crucial to ensuring a safe living environment. While well-intentioned, newer homes feature airtight construction that have actually made IAQ worse by allowing VOC (volatile organic compound) levels to rise.





# DEHUMIDIFIERS:

VENTILATION • HORIZONTAL • SMALL FOOTPRINT • HIGH-EFFICIENCY

The **Ultra Aire Horizontal Series** is compact and highly-efficient. It's designed for tight, low-clearance, shallow spaces, where most dehumidifiers cannot fit. Ideal for homes and light commercial spaces, this unit can be ducted into the HVAC system or used in a freestanding application.

## ▶ ULTRA AIRE 70H



- + **MODEL:** 4033730
- + **OPERATING TEMPERATURE:** 49°F - 95°F
- + **ENERGY FACTOR:** 2.4 L/KWH
- + **FILTER:** MERV-13
- + **SIZING:** UP TO 1,800 SQ. FT. / 18,000 CU. FT.
- + **PINT CAPACITY:** 70 PINTS / 8.75 GALLONS PER DAY
- + **HVAC SYSTEM INTEGRATION:** YES
- + **VENTILATION:** OPTIONAL

## ▶ ULTRA AIRE 98H



- + **MODEL:** 4034240
- + **OPERATING TEMPERATURE:** 49°F - 95°F
- + **ENERGY FACTOR:** 2.95 L/KWH
- + **FILTER:** MERV-13
- + **SIZING:** UP TO 2,300 SQ. FT. / 23,000 CU. FT.
- + **PINT CAPACITY:** 98 PINTS / 12.25 GALLONS PER DAY
- + **HVAC SYSTEM INTEGRATION:** YES
- + **VENTILATION:** OPTIONAL

## ▶ ULTRA AIRE 120H



- + **MODEL:** 4031957
- + **OPERATING TEMPERATURE:** 49°F - 95°F
- + **ENERGY FACTOR:** 2.95 L/KWH
- + **FILTER:** MERV-13
- + **SIZING:** UP TO 3,000 SQ. FT. / 30,000 CU. FT.
- + **PINT CAPACITY:** 121 PINTS / 15.125 GALLONS PER DAY
- + **HVAC SYSTEM INTEGRATION:** YES
- + **VENTILATION:** OPTIONAL



# DEHUMIDIFIERS:

VENTILATION • HORIZONTAL • COMMERCIAL-GRADE • HIGH-EFFICIENCY

The **Ultra Aire XT Series** offers the highest level of energy efficiency – unmatched in the market. The XT series offers options that can fit most applications.

## ▶ ULTRA AIRE XT155H



- + **MODEL:** 4031070
- + **OPERATING TEMPERATURE:** 49°F - 95°F
- + **ENERGY FACTOR:** 3.4 L/KWH
- + **FILTER:** MERV-13
- + **SIZING:** UP TO 3,500 SQ. FT. / 35,000 CU. FT.
- + **PINT CAPACITY:** 155 PINTS / 19.375 GALLONS PER DAY
- + **HVAC SYSTEM INTEGRATION:** YES
- + **VENTILATION:** OPTIONAL

## ▶ ULTRA AIRE XT205H



- + **MODEL:** 4031560
- + **OPERATING TEMPERATURE:** 49°F - 95°F
- + **ENERGY FACTOR:** 2.7 L/KWH
- + **FILTER:** MERV-13
- + **SIZING:** UP TO 5,000 SQ. FT. / 50,000 CU. FT.
- + **PINT CAPACITY:** 205 PINTS / 25.625 GALLONS PER DAY
- + **HVAC SYSTEM INTEGRATION:** YES
- + **VENTILATION:** OPTIONAL

"One of the best decisions I ever made was installing Ultra-Aire dehumidifiers in all of my custom homes. These units give me peace of mind that my homes are protected and deliver the comfort my customers expect. Ultra-Aire's quality and customer service are amazing."

- Matt Risinger, Owner of Risinger Homes and host of YouTube channel Build with Matt Risinger



## DEHUMIDIFIERS:

VENTILATION • VERTICAL SOLUTION • BASEMENT APPLICATIONS

"V" for Vertical – the **Ultra Aire 120V** is the only vertical, ventilating dehumidifier on the market. This dehumidifier, which features superior filtration, is ideal for basements, mechanical rooms and large attics where floor space is limited.

### ▶ ULTRA AIRE 120V



- + **MODEL:** 4036400
- + **OPERATING TEMPERATURE:** 49°F - 95°F
- + **ENERGY FACTOR:** 3.6 L/KWH
- + **FILTER:** MERV-13
- + **SIZING:** UP TO 3,000 SQ. FT. / 30,000 CU. FT.
- + **PINT CAPACITY:** 124 PINTS / 15.5 GALLONS PER DAY
- + **HVAC SYSTEM INTEGRATION:** YES
- + **VENTILATION:** OPTIONAL



## DEHUMIDIFIERS:

VENTILATION • SPLIT SYSTEM • COMMERCIAL-GRADE • HIGH-EFFICIENCY

The **Ultra Aire SD12** is specifically designed for hot and humid climates. The SD12 cools your space while efficiently and cost-effectively controlling humidity. Enhance comfort and boost indoor air quality with the Ultra Aire SD12.

### ▶ ULTRA AIRE SD12



- + **MODEL:** 4033170
- + **OPERATING TEMPERATURE:**  
49°F - 95°F (DEHUMIDIFIER) / 40°F - 115°F (CONDENSER)
- + **ENERGY FACTOR:** 3.1 L/KWH
- + **FILTER:** MERV-13
- + **SIZING:** UP TO 4,000 SQ. FT. / 40,000 CU. FT.
- + **PINT CAPACITY:** 184 PINTS / 23 GALLONS PER DAY
- + **HVAC SYSTEM INTEGRATION:** YES
- + **VENTILATION:** OPTIONAL





# DEHUMIDIFIERS:

IN-WALL SOLUTION • MULTI-FAMILY • SENIOR HOUSING • ADAPTIVE REUSE

The **Ultra Aire MD33** is the first true in-wall dehumidifier. Featuring a tamper-proof cover, this unit runs independently of the HVAC system and creates a comfortable, healthier living environment for residents.

## ▶ ULTRA AIRE MD33



- + **MODEL:** 4035900
- + **OPERATING TEMPERATURE:** 49°F - 95°F
- + **ENERGY FACTOR:** 2.0 L/KWH
- + **FILTER:** WASHABLE
- + **SIZING:** UP TO 1,200 SQ. FT. / 12,000 CU. FT.
- + **PINT CAPACITY:** 33 PINTS / 4.125 GALLONS PER DAY
- + **HVAC SYSTEM INTEGRATION:** NO
- + **VENTILATION:** NO

“The MD33 was exactly the product we’d been looking for to alleviate the humidity in our apartment project.

The ease of installation and slim-line profile of the product really fit in the modern living spaces.”

**Terry McDonald**  
General Manager, Scallan  
Properties, Washington D.C.



# FILTERS

## ► COMPACT / 70H



### MERV-13

- + SIZE: 9" x 11" x 1"
- + PART NUMBER: 4037724
- + COMPATIBLE DEHUMIDIFIERS:
  - Santa Fe Compact70
  - Ultra Aire 70H



### PRE-FILTER

- + SIZE: 9" x 11" x .25"
- + PART NUMBER: 4027168
- + COMPATIBLE DEHUMIDIFIERS:
  - Santa Fe Compact70

## ► ADVANCE / 98H / 120H



### MERV-13

- + SIZE: 14" x 17.5" x 1"
- + PART NUMBER: 4037722
- + COMPATIBLE DEHUMIDIFIERS:
  - Santa Fe Advance90
  - Ultra Aire 98H
  - Ultra Aire 120H

## ► MD33



### WASHABLE

- + SIZE: 11" x 12.6" x 0.1"
- + PART NUMBER: 4037714
- + COMPATIBLE DEHUMIDIFIERS:
  - Ultra Aire MD33

## ► IMPACT / CLASSIC



### MERV-13

- + SIZE: 16" x 20" x 2"
- + PART NUMBER: 4039391
- + COMPATIBLE DEHUMIDIFIERS:
  - Santa Fe Impact155
  - Santa Fe Classic



### PRE-FILTER

- + SIZE: 16" x 20" x 2"
- + PART NUMBER: 4021468
- + COMPATIBLE DEHUMIDIFIERS:
  - Santa Fe Classic

## ► 120V / XT / SD12



### MERV-13

- + SIZE: 16" x 20" x 2"
- + PART NUMBER: 4039391
- + COMPATIBLE DEHUMIDIFIERS:
  - Ultra Aire 120V
  - Ultra Aire XT155H
  - Ultra Aire XT205H
  - Ultra Aire SD12



### MERV-14

- + SIZE: 16" x 20" x 2"
- + PART NUMBER: 4022498
- + COMPATIBLE DEHUMIDIFIERS:
  - Ultra Aire 120V

*Santa Fe and Ultra Aire by Santa Fe dehumidifiers are equipped with the best filtration on the market. Capture harmful allergens and particles and keep running at peak efficiency.*



Filters are available on: <https://thermastorfilters.com>

# INSTALLATION ACCESSORIES

## ▶ CONTROLS



### DEH 3000 / 3000R

- + DEH 3000 PART NUMBER: 4028539
- + DEH 3000R PART NUMBER: 4028407
- + COMPATIBLE DEHUMIDIFIERS:
  - All except the Ultra Aire MD33

## ▶ DEHUMIDIFIER RISERS



### DEHUMIDIFIER RISERS

- + PART NUMBER: 4039903, 1-Pack
- + PART NUMBER: 4041602, 10-Pack
- + COMPATIBLE DEHUMIDIFIERS:
  - All except the Santa Fe Classic, Ultra Aire 120V and Ultra Aire MD33

## ▶ HANG KITS



### SMALL HANGING KIT

- + PART NUMBER: 4036695
- + COMPATIBLE DEHUMIDIFIERS:
  - Santa Fe Compact70
  - Santa Fe Advance90
  - Ultra Aire 70H
  - Ultra Aire 98H
  - Ultra Aire 120H



### LARGE HANGING KIT

- + PART NUMBER: 4036685
- + COMPATIBLE DEHUMIDIFIERS:
  - Santa Fe Impact155
  - Ultra Aire XT155H
  - Ultra Aire XT205H
  - Ultra Aire SD12

## ▶ CONDENSATE PUMPS



- + PART NUMBER: 4022220
- + COMPATIBLE DEHUMIDIFIERS:
  - All except the Ultra Aire 120V



- + PART NUMBER: 4039225
- + COMPATIBLE DEHUMIDIFIERS:
  - Ultra Aire 120V

## ▶ DUCT KITS



### COMPACT SERIES

- + RETURN DUCT KIT  
PART NUMBER: 4030204
- + SUPPLY DUCT KIT  
PART NUMBER: 4030203
- + COMPATIBLE DEHUMIDIFIERS:
  - Santa Fe Compact70



### IMPACT SERIES

- + RETURN DUCT KIT  
PART NUMBER: 4028610
- + SUPPLY DUCT KIT  
PART NUMBER: 4028607
- + COMPATIBLE DEHUMIDIFIERS:
  - Santa Fe Impact155



### CLASSIC SERIES

- + PART NUMBER: 4021453
- + COMPATIBLE DEHUMIDIFIERS:
  - Santa Fe Classic



### ADVANCE SERIES

- + RETURN DUCT KIT  
PART NUMBER: 4039697
- + COMPATIBLE DEHUMIDIFIER:
  - Santa Fe Advance90
- + SUPPLY DUCT KIT  
PART NUMBER: 4033039
- + COMPATIBLE DEHUMIDIFIERS:
  - Santa Fe Advance90
- + SUPPLY DUCT KIT  
PART NUMBER: 4039455

# PRODUCT LINE UP



WATER REMOVAL*	<b>70</b> PINTS/DAY <b>8.75</b> GALLONS/DAY	<b>90</b> PINTS/DAY <b>11.25</b> GALLONS/DAY
CURRENT DRAW	<b>5.1</b> AMPS	<b>5.7</b> AMPS
EFFICIENCY	<b>5.0</b> PINTS/KWH	<b>6.1</b> PINTS/KWH
ENERGY FACTOR	<b>2.4</b> L/KWH	<b>2.88</b> L/KWH
AIR FILTER	<b>MERV 13</b>	<b>MERV 13</b>
DIMENSIONS	<b>12.00" W</b> <b>12.00" H</b> <b>21.00" D</b>	<b>14.50" W</b> <b>19.40" H</b> <b>26.00" D</b>
WEIGHT	<b>55</b> LBS.	<b>80</b> LBS.

## SIZED FOR CRAWL SPACES



TIGHTLY SEALED	UP TO <b>2,600</b> FT <sup>2</sup>	UP TO <b>3,000</b> FT <sup>2</sup>
MODERATELY SEALED	UP TO <b>2,200</b> FT <sup>2</sup>	UP TO <b>2,600</b> FT <sup>2</sup>
LOOSELY SEALED	UP TO <b>1,800</b> FT <sup>2</sup>	UP TO <b>2,200</b> FT <sup>2</sup>

## SIZED FOR BASEMENTS

TIGHTLY SEALED	UP TO <b>2,200</b> FT <sup>2</sup>	UP TO <b>2,600</b> FT <sup>2</sup>
MODERATELY SEALED	UP TO <b>2,000</b> FT <sup>2</sup>	UP TO <b>2,400</b> FT <sup>2</sup>
LOOSELY SEALED	UP TO <b>1,800</b> FT <sup>2</sup>	UP TO <b>2,200</b> FT <sup>2</sup>



We're proud of our line up. Use the chart below to compare models to see which one is right for your home. Or call 800-533-7533 and we'll be more than happy to help you choose your Santa Fe.

	<b>IMPACT155</b>	<b>CLASSIC</b>
		
<b>WATER REMOVAL*</b>	<b>155</b> PINTS/DAY <b>19.375</b> GALLONS/DAY	<b>110</b> PINTS/DAY <b>13.75</b> GALLONS/DAY
<b>CURRENT DRAW</b>	<b>8.0</b> AMPS	<b>6.4</b> AMPS
<b>EFFICIENCY</b>	<b>7.3</b> PINTS/KWH	<b>6.3</b> PINTS/KWH
<b>ENERGY FACTOR</b>	<b>3.4</b> L/KWH	<b>3.0</b> L/KWH
<b>AIR FILTER</b>	<b>MERV 13</b>	<b>MERV 13</b>
<b>DIMENSIONS</b>	<b>21.25" W</b> <b>21.75" H</b> <b>38.00" D</b>	<b>20.00" W</b> <b>36.00" H</b> <b>17.00" D</b>
<b>WEIGHT</b>	<b>140</b> LBS.	<b>110</b> LBS.

**SIZED FOR CRAWL SPACES**

<b>TIGHTLY SEALED</b>	UP TO <b>4,400</b> FT <sup>2</sup>	<b>N/A**</b>
<b>MODERATELY SEALED</b>	UP TO <b>4,000</b> FT <sup>2</sup>	<b>N/A**</b>
<b>LOOSELY SEALED</b>	UP TO <b>3,600</b> FT <sup>2</sup>	<b>N/A**</b>

**SIZED FOR BASEMENTS**

<b>TIGHTLY SEALED</b>	UP TO <b>4,000</b> FT <sup>2</sup>	UP TO <b>2,900</b> FT <sup>2</sup>
<b>MODERATELY SEALED</b>	UP TO <b>3,800</b> FT <sup>2</sup>	UP TO <b>2,700</b> FT <sup>2</sup>
<b>LOOSELY SEALED</b>	UP TO <b>3,600</b> FT <sup>2</sup>	UP TO <b>2,500</b> FT <sup>2</sup>

\*At 80°F and 60% RH

\*\* These units are not applicable to crawl spaces

# PRODUCT LINE UP








	70H	98H	120H
			
WATER REMOVAL*	70 PINTS/DAY 8.75 GALLONS/DAY	98 PINTS/DAY 12.25 GALLONS/DAY	121 PINTS/DAY 15.125 GALLONS/DAY
CURRENT DRAW	5.1 AMPS	5.9 AMPS	7.3 AMPS
EFFICIENCY	5.0 PINTS/KWH	6.1 PINTS/KWH	6.1 PINTS/KWH
ENERGY FACTOR	2.4 L/KWH	2.95 L/KWH	2.95 L/KWH
BLOWER	150 CFM @ 0.0" WG 140 CFM @ 0.2" WG 130 CFM @ 0.4" WG	320 CFM @ 0.0" WG 297 CFM @ 0.2" WG 215 CFM @ 0.4" WG	350 CFM @ 0.0" WG 285 CFM @ 0.2" WG 210 CFM @ 0.4" WG
AIR FILTER	MERV-13	MERV-13	MERV-13
DIMENSIONS	12.00" W 12.00" H 28.00" D	14.50" W 19.50" H 32.375" D	14.375" W 21.00" H 32.1875" D
WEIGHT	55 LBS.	81 LBS.	91 LBS.
SIZING	UP TO 1,800 FT. <sup>2</sup>	UP TO 2,300 FT. <sup>2</sup>	UP TO 3,000 FT. <sup>2</sup>
WARRANTY	6 YEARS	6 YEARS	6 YEARS

\*At 80°F and 60% RH



We're proud of our line up. The chart below is a side-by-side comparison of the Ultra Aire models, which will help determine the proper unit for your application. Or call 800-533-7533 and we'll be more than happy to help you choose your Ultra Aire.

<b>XT155H</b>	<b>XT205H</b>	<b>120V</b>	<b>SD12</b>	<b>MD33</b>
				
<b>155</b> PINTS/DAY <b>19.375</b> GALLONS/DAY	<b>205</b> PINTS/DAY <b>25.625</b> GALLONS/DAY	<b>124</b> PINTS/DAY <b>15.5</b> GALLONS/DAY	<b>184</b> PINTS/DAY <b>23.0</b> GALLONS/DAY	<b>33</b> PINTS/DAY <b>4.125</b> GALLONS/DAY
<b>8.0</b> AMPS	<b>13.2</b> AMPS	<b>5.8</b> AMPS	<b>11.1</b> AMPS**	<b>2.8</b> AMPS
<b>7.3</b> PINTS/KWH	<b>5.7</b> PINTS/KWH	<b>7.6</b> PINTS/KWH	<b>6.6</b> PINTS/KWH	<b>4.25</b> PINTS/KWH
<b>3.4</b> L/KWH	<b>2.7</b> L/KWH	<b>3.6</b> L/KWH	<b>3.1</b> L/KWH	<b>2.0</b> L/KWH
<b>391 CFM</b> @ 0.0" WG <b>363 CFM</b> @ 0.2" WG <b>337 CFM</b> @ 0.4" WG	<b>526 CFM</b> @ 0.0" WG <b>495 CFM</b> @ 0.2" WG <b>458 CFM</b> @ 0.4" WG	<b>445 CFM</b> @ 0.0" WG <b>390 CFM</b> @ 0.2" WG <b>360 CFM</b> @ 0.4" WG	<b>406 CFM</b> @ 0.0" WG <b>374 CFM</b> @ 0.2" WG <b>348 CFM</b> @ 0.4" WG	<b>155 CFM</b> @ 0.0" WG
<b>MERV-13</b>	<b>MERV-13</b>	<b>MERV-13</b>	<b>MERV-13</b>	<b>WASHABLE</b>
<b>20.25" W</b> <b>21.75" H</b> <b>41.50" D</b>	<b>20.25" W</b> <b>21.75" H</b> <b>41.50" D</b>	<b>26.75" W</b> <b>43.50" H</b> <b>18.75" D</b>	<b>20.25" W</b> <b>21.75" H</b> <b>41.50" D</b>	<b>14.1875" W</b> <b>30.00" H</b> <b>5.75" D</b>
<b>140</b> LBS.	<b>140</b> LBS.	<b>120</b> LBS.	<b>110</b> LBS.	<b>39</b> LBS.
UP TO <b>3,500</b> FT. <sup>2</sup>	UP TO <b>5,000</b> FT. <sup>2</sup>	UP TO <b>3,000</b> FT. <sup>2</sup>	UP TO <b>4,000</b> FT. <sup>2</sup>	UP TO <b>1,200</b> FT. <sup>2</sup>
<b>6</b> YEARS	<b>6</b> YEARS	<b>6</b> YEARS	<b>6</b> YEARS	<b>4</b> YEARS

\*\*SD12 amps are combined total. Dimensions and weight are dehumidifier only. See spec sheet for more detailed information on outdoor condenser.



**SANTA-FE**™  
DEHUMIDIFIERS



**Contact us:**

Santa-Fe-Products.com or 800-533-7533

©2019 Therma-Stor LLC  
TS-1168 8/20 Rev C